


# BirdShield™ Bird Repellent

## Usage & Testing Information

### Water

*Bird Shield™* has been found to be effective in discouraging birds from using fountains, ornamental ponds, rain gutters, cat tail marshes, and other similar areas. In tests on penned geese, the geese were furnished with two artificial ponds for drinking and bathing. Prior to treatment, each pond received about the same usage. Immediately after *Bird Shield™* was added to one pond, the use of that pond went nearly to zero and stayed that way for the duration of the test.



The labeled rate of use in standing water is one gallon of *Bird Shield™* in 500 gallons of water, however subsequent experience has indicated that *Bird Shield™* may be effective at much reduced rates, perhaps in the range of one in ten or twenty thousand. It is suggested that the user try a small amount and increase it from time to time until he observes the birds leaving. It is legal to use *Bird Shield™* at less than the labeled rate, but not more.

There are some cautions about using *Bird Shield™* in water. Tests have shown that *Bird Shield™* is toxic to certain types of fish. Read the MSDS, available on this web site, for more information. Be sure to use it only in water that is not fish habitat. Second, use it only in standing water, such as fountains or ornamental ponds. In flowing water, the product will not stay around long enough to do any good, and may flow into fish bearing streams. Around ponds, *Bird Shield™* can be used right down to the high water mark, as tests have shown that it does not relocate and migrate into the water